

MATERIAL SAFETY DATA SHEET

SECTION I – Product/Company Identification

1.1 Product Trade Name: KreemTex® Molding Latex

1.2 Part (Item) Number: SP110802W, SP110811W, SP110080W, SP110802R, SP110811R, SP110080R,

1.3 Division Name: ArtMolds
1.4 Address: 18 Bank Street
City State ZIP Summit NJ 07901
1.5 Emergency Telephone: 1-866-278-6653
1.6 Information Telephone: 1-908-273-5401

1.7 Date Prepared: 8/28/02 **Date Revised** 9/20/05

SECTION II – Hazardous Ingredients/Identity Information

Hazardous ComponentsSHA PELACGIH TLVCAS NumberAmmonium Hydroxided (Ammonia)50 ppm25 ppm7664-41-7NO TOXIC CHEMICALS subject to reporting requirements of Section 313 of Title III and of CFR 372 are present

SECTION III – Physical/Chemical Properties

3.1 Boiling Point: 212 deg F **3.6 Specific Gravity:** (H2O=1): .96

3.2 Vapor Pressure:N/A3.7 Melting point:N/A3.3 Vapor Density:Unknown3.8 Evaporation rate:Unknown3.4 Solubility in water:Miscible3.9 Material V.O.C.:0.03 lb/gl

3.5 Appearance and odor: Latex – Creamy – Ammonia Odor

SECTION IV - Fire and Explosion Hazard Data

4.1 Flash Point (method used): 0 deg F

4.2 Flammability (explosive limits): LEL: N/A UEL: N/A **4.3 Extinguishing media:** Foam, CO2, Dry Chemical, Water Fog

4.4 Special fire fighting procedures: JSE Self Contained Breathing Apparatus and Protective Clothing

4.5 Unusual fire and Explosion hazards: None

SECTION V – Reactivity Data

5.1 Stability: Unstable: Stable: X
5.2 Conditions to avoid: Do Not Freeze as Contents Will Coagulate
5.3 Incompatibility (materials to avoid): Water sensitive materials such as Sulfuric Acid

5.4 Hazardous decomposition or byproducts: Carbon Monoxide, Carbon Dioxide, Others possible

5.5 Hazardous polymerization: May Occur: May not occur: X

5.6 Conditions to avoid (polymerization) N/A

SECTION VI - Health Hazard Data

6.1 Primary routes(s) of entry: Inhalation?: Yes Skin?: Yes Ingestion?: Yes **6.2 Health Hazards (acute and chronic):** Acute: Transitory upper respiratory irritation or eye irritation

Chronic: Prolonged inhalation may cause lung irritation. May cause allergic reaction. Liquid may cause eye irritation. Prolonged or repeated skin contact may cause skin irritation. May cause allergic reaction.. Skin contact may cause skin

irritation or allergic reaction.



6.3 Carcinogenicity: NTP?: No IARC monographs: No OSHA Regulated?: No

6.4 Signs and symptoms of exposure: Inhalation: Irritation and soreness in throat and nose. In extreme exposures some

congestion may occur. Eyes: temporary irritation or inflammation.

6.5 Medical conditions generally

aggravated by exposure:

Skin or eye disorders. Lung disorders possible.

6.6 Emergency First aid procedures: Eyes – Flush with water. Skin – wash with soap and water. Inhalation – remove to

fresh air. Ingestion - seek medical attention..

SECTION VII - Precautions for Safe Handling

7.1 Steps to be taken in case material

is released or spilled:

Dam up to limit spreading. Mop up or absorb with inert material. If small spill allow

to dry and peel from floor.

7.2 Waste Disposal methods:

7.3 Precautions to be taken in handling

and storage:

Dispose of in accordance with Federal, State and Local regulations

DO NOT FREEZE. Keep containers covered. Avoid eye contact. Avoid prolonged

or repeated skin contact.

7.4 Other precaution: Do not dump in sewer.

SECTION VII – Control Measure / Personal Protection

8.1 Respiratory protection: Normally nothing. NIOSH approved respirator if vapor concentrations are approve

TLV.

8.2 Ventilation: To keep vapor concentrations below TLV

8.3 Protective gloves: Impermeable

8.4 Eye protection: Goggles or safety glasses with shields

8.5 Other protective clothing or equipment: N/A

8.6 Work/Hygienic practices: Normal cleanliness should be observed.

NFPA - National Fire Protection

Association

N/A – Not Applicable N/E – Not Established

NFPA HAZARD CLASSIFICATIONS	
Health	1
Flammability	0
Reactivity	0
Specific Hazard	N/A

ARTMOLDS 9-20-05